



JD-4 house Breeder Farm Lawrence, MS
Mississippi, AC +/-




 Boundary




Boundary





 Boundary



 Boundary

Boundary 73.2 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
McA	Mayhew silty clay loam, nearly level phase (0 to 2 percent slopes)	31.36	42.84	0	59	3w
OcC3	Ora and Dulac soils, severely eroded gently sloping phases (ora-providence) (5 to 8 percent slopes)	16.24	22.19	0	51	4e
OcB2	Ora and Dulac soils, eroded very gently sloping phases (ora-providence) (2 to 5 percent slopes)	11.94	16.31	0	54	2e
SbB2	Sawyer fine sandy loam, eroded very gently sloping phase (sweatman) (2 to 5 percent slopes)	11.5	15.71	0	73	3e
Mb	Mantachie very fine sandy loam, local alluvium phase (bibb) (0 to 2 percent slopes)	2.16	2.95	0	69	3w
TOTALS		73.2(*)	100%	-	58.9	3.06

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability

	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water