
Iowa, AC +/-







completeness or accuracy thereof.

| Boundary 70.84 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CSR2	СРІ	NCCPI	CAP
13B	Olmitz-Zook-Vesser complex, 0 to 5 percent slopes		37.26	76.0	0	78	2e
592D2	Mystic clay loam, 9 to 14 percent slopes, moderately eroded	9.93	14.01	10.0	0	67	4e
179E2	Gara clay loam, 14 to 18 percent slopes, moderately eroded	8.04	11.35	23.0	0	63	6e
792D2	Armstrong clay loam, 9 to 14 percent slopes, moderately eroded		9.57	7.0	0	58	4e
179F2	Gara clay loam, 18 to 25 percent slopes, moderately eroded	3.96	5.59	11.0	0	51	4e
792C	Armstrong loam, 5 to 9 percent slopes	3.87	5.46	35.0	0	65	3e
65F2	Lindley clay loam, 18 to 25 percent slopes, moderately eroded	3.86	5.45	11.0	0	50	7e
179D2	Gara clay loam, 9 to 14 percent slopes, moderately eroded	3.83	5.41	43.0	0	73	4e
592C	Mystic silt loam, 5 to 9 percent slopes	1.93	2.72	32.0	0	80	3e
425D	Keswick loam, 9 to 14 percent slopes	0.75	1.06	8.0	0	63	4e
W	Water	0.67	0.95	1	0	-	-
452C2	Lineville silt loam, 5 to 9 percent slopes, moderately eroded	0.6	0.85	46.0	0	72	3e
452C	Lineville silt loam, 5 to 9 percent slopes	0.15	0.21	48.0	0	75	3e
423D2	Bucknell clay loam, 9 to 14 percent slopes, moderately eroded	0.07	0.1	8.0	0	60	4e
TOTALS		70.84(*)	100%	39.9	-	67.89	3.55

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- $\left(s\right)$ soil limitations within the rooting zone $\left(w\right)$ excess of water