COLORADO DIVISION OF WATER RESOURCES

1313 Sherman Street - Room 818 Denver, Colorado 80203

RECEIVED

OCT 2 9 1990

MATTE MESMACH

TAIL FORM MUST BE SUBMITTED WITHIN 60 DAYS OF COMPLETION OF THE WORK DESCRIBED HERE-WELL COMPLETION AND PUMP INSTALLATION REPORT ON. TYPE OR PRINT IN BLACK INK.

		PERMIT NU	MBER 🚣	<u> </u>	-12540	<i>*</i> + -	CONTRACTOR OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TO THE PERSON NAM	
	:	Lawrence & Bettie Tanner 2300 Avocado Drive Melbourne F1 32935						
DATE CO	OMPLE	TED <u>Oct 4</u>	, 19 90	HOLE DIAM	ETER			
		WELL LOG		in, f	from to	ft.		
From	То	Type and Color of Material	Water Loc.	in. f	from to	o ft.		
}		(PUMP INSTALLATION ONLY)			from to	o ft.		
1		}	} }	CASING REC		lain Casing		
				Size	& kind	from	to	ft
1				Size	& kind	from	to	ft
1			} }	Size	& kind	from	to	ft
					Perf	orated Casing		
[1	Size	& kind	from	to	ft
{			} }	Size	& kind	from	to	ft
				Size	& kind	from	to	ft
			} }	GROUTING	RECORD			
}		}		Material				
}			}	Intervals				
				Placement !	Method			
		(GRAVEL PA	ck: Size			_ _
			} }	Interval				
}			1	TEST DATA				
			[]	Date Tested	d		,	19
			}	Static Water	r Level Prior t	o Test		ft
				Type of Tes	st Pump			
			}	Length of T	Геst			
ļ		TOTAL DEPTH	1	Sustained Y	rield (Metered)		
ı	Use a	additional pages necessary to complete log.	1	Final Pump	oing Water Lev	el		

PUMP INSTALLATION REPORT		
Pump Make Flint & Walling		
Type Submersible		
Powered by 220 Volts AC HP 3/4		
Pump Serial No. <u>575139</u>	182 175	160 110 wayer
Motor Serial No. F90	M.	WATER LOCAL MATER
Date Installed 4 Oct 90		
Pump Intake Depth		WATER S
Remarks		50 \$
		PUMPING
	, · · ·	BRA /
	TH	
WELL TEST DATA WITH PERMANENT PUMP	DEPTH TO INT	CONE OF DEPRESSION
Date Tested 4 Oct 90	TOTAL	CONE OF DEPRESSION
Static Water Level Prior to Test 110	T O	
Length of Test Hours		
Sustained yield (Metered) 5 GPM		Bred
Pumping Water Level		
Remarks		
	<u> </u>	
	<u> </u>	
CONTRACTORS STATEMENT		
The undersigned, being duly sworn upon oath, dep pump installation described hereon; that he has re		
thereof, and that the same is true of his own know	edge.	MI, MIOWS THE COULCUIT
Signature Robert Young Kobert	young 1	icense No. 592

State of Colorado, County of _____ Subscribed and sworn to before me this _____ day of ________, 19 _____. My Commission expires: _______, 19 ______, 19 _____.

Notary Public_____

COLORADO DIVISION OF WATER RESOURCES

1313 Sherman Street - Room 818

RECEIVED

JUL 0 5 1989

WATER RESOURCES STATE - ENGINEER Antin.

THIS FORM MUST BE SUBMITTED WITHIN 60 DAYS OF COMPLETION Denver, Colorado 80203 OF THE WORK DESCRIBED HERE-ON. TYPE OR PRINT IN BLACK **WELL COMPLETION AND PUMP INSTALLATION REPORT** INK. PERMIT NUMBER __153487____

WELL OWNER			% of the % of Sec20,
	2300 AVACADO DR.		00 0 70 1
ADDRESS	MELBOURNE, FLA. 32935		T20S, R. 72W,6P.M.
DATE COMPL	ETED	, 1 9 _89	HOLE DIAMETER
	WELL LOG		8_3/4_ in. from _0 to _19 ft.
From To	Type and Color of Material	Water Loc.	_6 in. from19 to _182 ft.
0 4	FAN TOP SOIL	}	in. from to ft.
4 14	Arey Decomposed gravite	1	DRILLING METHOD air percussion
14 81	Brey Branits	1 {	CASING RECORD: Plain Casing
81 111	TAN & Bru Branite	128	Size $65/8$ kind <u>steel</u> from $+1$ to 19 ft.
147 182	_	1	Size <u>4</u> & kind <u>pvc</u> from <u>10</u> to <u>122</u> ft.
	G	}	Size & kind from to ft.
		}	Perforated Casing
		}	Size _4_ & kind _pvc from122 to 182 ft.
]	Size & kind from to ft.
		}	Size & kind from to ft.
		}	GROUTING RECORD
			Material cement (densi ty 15.3)
			Intervals 719
			Placement Method _poured
		1	<u>-</u>
			GRAVEL PACK: Size
			Interval
			TEST DATA
			Date Tested
	λ		Static Water Level Prior to Test ft
			Type of Test Pumpair lift
			Length of Test 2 hr
			Sustained Yield (Metered)4 GPM
	TOTAL DEPTH <u>182</u> se additional pages necessary to complete log.	'	Final Pumping Water Level
Os	e additional pages necessary to complete log.		Title Camping Water Cover

PUMP INSTALLATION REPORT		
Pump Make		
γ Type		
Powered by HP		13/
Pump Serial No		`
Motor Serial No.	EVEL EVEL	WATER TABLE
Date Installed		
Pump Intake Depth	WATER ST	
Remarks		
	NO OWN	-270
,	BA STATE OF THE ST	13/ 10.
	H KE	13.
WELL TEST DATA WITH PERMANENT PUMP		10 17
Date Tested	THE STATE OF THE S	CONE OF
Static Water Level Prior to Test	DEPTH	DEFREGGION
Length of Test Hours		
Sustained yield (Metered) GPM		
Pumping Water Level		
Remarks		
<u></u>		
· · · · · · · · · · · · · · · · · · ·		
CONTRACTORS STATEMENT		
The undersigned, being duly sworn upon oath, de pump installation described hereon; that he has thereof, and that the same is true of his own known		
Signature & Alex Hor	License No. 99	<u> </u>
State of Colorado, County of	ss	
Subscribed and sworn to before me this	·	
My Commission expires:		
Notary Public		

FORM TO BE MADE OUT IN QUADRUPLICATE: WHITE FORM must be an original copy on both sides and signed. WHITE AND GREEN copies must be filed with the State Engineer, PINK COPY is for the Owner and YELLOW COPY is for the Driller. ** S. R. +- 76

COLORADO DIVISION OF WATER RESOURCES #5/06 00 818 Centennial Bldg., 1313 Sherman St., Denver, Colorado 80203

818 Centennial Bldg., 1313 Shel	rman St., Denver, Colorado 80203
Application must	USE GROUND WATER 02 1/ 00 0151 D
print in BLACK INK, No overstrikes at 4 6 1000	CONSTRUCT A WELL 02-16-89 2:31 P INSTALL A PUMP 032472 40.00 NWX00B P0011
initialed () OTHER	
STATE - BREAKER WATER COURT	CASE NO
(1) APPLICANT - mailing address	FOR OFFICE USE ONLY: DO NOT WRITE IN THIS COLUMN
NAME Lawrence & Bettie Tanner	Receipt No. 97/75 /
STREET 2300 Avocado Drive	Basin Dist
CITY Melbourne, Florida 32935	CONDITIONS OF APPROVAL
TELEPHONE NO. 407-259-8099	This well shall be used in such a way as to cause 3harses
- <u></u>	no material injury to existing water rights. The powerout
(2) LOCATION OF PROPOSED WELL	issuance of the permit does not assure the applicant that no injury will occur to another vested water
County Fremont	right or preclude another owner of a vested water right from seeking relief in a civil court action.
SW % of the NE %, Section 20	ISSUANCE OF THIS PERMIT DOES NOT
Twp. $20 \frac{S}{(N,S)}$, Rng. $72 \frac{W}{(E,W)}$, $6th$ P.M	CONFER A DECREED WATER RIGHT 1) APPROVED PURSUANT TO CRS 37-92-602(3)(b)(11) (A) AS THE ONLY WELL ON A TRACT OF LAND OF 35
(3) WATER USE AND WELL DATA	ACRES DESCRIBED AS TRACT NO. 28, FILING NO. 2, CODY PARK DIVISION OF LAND, FREMONT COUNTY.
Proposed maximum pumping rate (gpm)15	2) THE USE OF GROUND WATER FROM THIS WELL IS LIMITED TO FIRE PROTECTION, ORDINARY HOUSEHOLD
Average annual amount of ground water to be appropriated (acre-feet):	LIMITED TO FIRE PROTECTION, ORDINARY HOUSEHOLD PURPOSES INSIDE THREE SINGLE FAMILY DWELLINGS, THE IRRIGATION OF NOT MORE THAN ONE ACRE OF HOME GARDENS AND LAWNS, AND THE WATERING OF
Number of acres to be irrigated:1	DOMESTIC ANIMALS.
Proposed total depth (feet): 150	3) THE RETURN FLOW FROM THE USE OF THE WELL MUST BE THROUGH AN INDIVIDUAL WASTEWATER DISPOSAL SYSTEM OF THE NON-EVAPORATIVE TYPE
Aquifer ground water is to be obtained from: N/A	WHERE THE WATER IS RETURNED TO THE SAME STREAM SYSTEM IN WHICH THE WELL IS LOCATED. THE WAY SYSTEM IN WHICH THE WELL IS LOCATED.
Owner's well designation	
GROUND WATER TO BE USED FOR:	
() HOUSEHOLD USE ONLY - no irrigation (0) (XX) DOMESTIC (1) () INDUSTRIAL (5) () LIVESTOCK (2) () IRRIGATION (6) () COMMERCIAL (4) () MUNICIPAL (8)	
() OTHER (9)	APPLICATION APPROVED
DETAIL THE USE ON BACK IN (11)	PERMIT NUMBER153487
(4) DRILLER	FFR 2.7 1989
Name Nequette Drilling Company	ECD 2 7 1001
P.O. Box 186	EXPIRATION DATE FED & 1 1991

Westcliffe, Colorado 81252-0186

Telephone No. 719-783-2652 Lic. No.

(Zlp)

1043

(5) THE LOCATION OF THE PROPOSED WELL and the area on	(6) THE WELL MUST BE LOCATED BELOW
which the water will be used must be indicated on the diagram below.	by distances from section lines.
Use the CENTER SECTION (1 section, 640 acres) for the well location.	2000 ft. from North sec. line
1 MILE, 5280 FEET	2000 ft. from East sec. line
+ + + + + + + + +	
· i	LOT 28 BLOCK FILING # 2
NORTH SECTION LINE	SUBDIVISION Cody Park
	(7) TRACT ON WHICH WELL WILL BE LOCATED Owner: L. Tanner
+ NORTH + + - + - + - + - + - + - + - + - + -	No. of acres 35.0 Will this be
T NOT ! ST SEC	the only well on this tract? Yes
NOIL Dais	(8) PROPOSED CASING PROGRAM
	Plain Casing
+ - + - + - + - + + + +	6 5/8 in. from +1 ft. to 19
	4 in. from 14 ft. to 120 ft.
+ - + SOUTH SECTION LINE	Perforated casing
]	4 in. from 120 ft. to 150 ft.
	in. from ft. to ft.
	
14 5 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	(9) FOR REPLACEMENT WELLS give distance and direction from old well and plans for plugging
· 英国Art Transfer to the Trans	it: N/A
()を ()が)	
WATER EQUIVALENTS TABLE (Rounded Figures) An acre-foot covers 1, acre of land 1 foot deep 4 An acre-foot covers 1, acre of land 1 foot deep 4 A family of 5 will require approximately 1 acre-foot of water per, year. 1,000 gpm pumped continuously for one day produces 4.42 acre-feet.	
A Are foot covers 1 acre of land 1 foot deep 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
A family of 5 will require approximately T acre-toot of water, per year.	
(10) LAND DN WHICH GROUND WATER WILL BE USED:	
Owner(s) VI Lawrence & Bettie Tanner 1 1/2 (11)	No. of acres:
Legal description: Cody Park L#28 F#2+Custer: County Color	ado
(11) <u>DETAILED DESCRIPTION</u> of the use of ground water: Househo system to be used.	old use and domestic wells must indicate type of disposal
Household use, lawn, garden & livestock. Serve up	to 3 single family dwellings.
Septic system wiht leachfield.	
(12) OTHER WATER RIGHTS used on this land, including wells. Giv	e Registration and Water Court Case Numbers
Type or right Used for (purpose)	Description of land on which used
N/A	Description of faile on which used
V + 10 177 1	
(13) THE APPLICANT(S) STATE(S) THAT THE INFORMATI	ON SET FORTH HEREON IS
TRUE TO THE BEST OF HIS KNOWLEDGE.	
V Lawrence II Farmer	KH. N. Janus
SIGNATURE OF APPLICANTIS)	Since II Ville
to the state of the state of	

