

APPROVED BY THE TEXAS REAL ESTATE COMMISSION (TREC)



SELLER'S DISCLOSURE NOTICE

CONCERNING THE PROPERTY AT 4141 Whiteley Drive, 405, Corpus Christi, TX 78418 (Street Address and City)

_V Range	_V Over	1	Microwav	e		
u Dishwasher		Trash CompactorWindow ScreensFire Detection Equipment		DisposalRain Gutters Intercom System		
y Washer/Dryer Hookup	 -					
u Security System	 -					
				.,		
		ke Detector-Hearing Impai	red			
		Conhan Manavida Alarm				
		gency Escape Ladder(s)				
u TV Antenna	 -	e TV Wiring	Satellite D	ish		
u Ceiling Fan(s)	 -	Fan(s)	-	Exhaust Fan(s)		
V Central A/C	<u> </u>	Central Heating		Wall/Window Air Conditioning		
7 Plumbing System n Se		Septic System		 Public Sewer System		
		loor Grill	Fences			
y Pool	u Saun	a	Spa	Hot Tub		
u Pool Equipment Fireplace(s) & Chimney u (Wood burning)	ireplace(s) & Chimney		Fireplace(Automatic Lawn Sprinkler Syster —Fireplace(s) & Chimney (Mock)		
u Natural Gas Lines			Gas Fixtur	es		
u Liquid Propane Gas:	LP Community	y (Captive) LP on Pr				
u Fuel Gas Piping:	 Black Iron Pipe	Corrugated Stainless S		oper		
iarage: n Attached		 -	Carport			
arage Door Opener(s):	Electronic	Control(s)	•			
/ater Heater:	 Gas	v Electric				
Vater Supply:	 , City	y _ _Well	MUD	Co-o		
Roof Type: _{unknown}	- <u></u> -	Age:	 : n/a	(approx.)		

		etectors installed	(Street Ad in accordance with	dress and City) the smoke detector requirements of Chapte			
	(Attach additional sheets if necessary):	_ NO M OUKNO	own. If the answe	r to this question is no or unknown, explai			
Chapter 766 of the Health and Safety Code requires one-family or two-family dwellings to have working smoke detector installed in accordance with the requirements of the building code in effect in the area in which the dwelling is located including performance, location, and power source requirements. If you do not know the building code requirements in effect in your area, you may check unknown above or contact your local building official for more information. A buyer may require a seller to install smoke detectors for the hearing impaired if: (1) the buyer or a member of the buyer's family who will reside in the dwelling is hearing impaired; (2) the buyer gives the seller written evidence of the hearing impairment from a licensed physician; and (3) within 10 days after the effective date, the buyer makes a written request for the seller to install smoke detectors for the hearing impaired and specifies the locations for the installation. The parties may agree who will be a the cost of installing the smoke detectors and which brand of smoke detectors to install.							
	Are you (Seller) aware of any known defectif you are not aware.	ts/malfunctions ir	n any of the followir	ng? Write Yes (Y) if you are aware, write No (
	nInterior Walls	nCeilings		nFloors			
	nExterior Walls	n Doors		Windows			
	nRoof	<u> </u>	on/Slab(s)	<u> </u>			
	n	nDriveway	s	Intercom System			
	\underline{n} _Plumbing/Sewers/Septics	nElectrical	Systems	nLighting Fixtures			
	If the answer to any of the above is yes, ex	olain. (Attach add	ditional sheets if nec	ressary):			
	Are you (Seller) aware of any of the following conditions? Write Yes (Y) if you are aware, write No (N) if you are not aware. n Active Termites (includes wood destroying insects) n Previous Structural or Roof Repair						
		, -	 -	otructural of Roof Repair			
			n Hazardou	s or Toxic Waste			
	n Previous Termite Damage	ing Repair	 A alposto a	s or Toxic Waste			
	n Previous Termite Damage	ing Repair	Asbestos	Components			
	Previous Termite Treatment	ing Repair	n Asbestos	Components naldehyde Insulation			
	n Previous Termite Treatment n Improper Drainage		n Asbestos n Urea-form nn Radon Ga	Components naldehyde Insulation s			
	n Previous Termite Treatment n Improper Drainage n Water Damage Not Due to a Flood E	vent	n Asbestos n Urea-form nn Radon Ga n Lead Base	Components naldehyde Insulation s ed Paint			
	n Previous Termite Treatment n Improper Drainage n Water Damage Not Due to a Flood E n Landfill, Settling, Soil Movement, Fa	vent ult Lines	n Asbestos n Urea-form nn Radon Ga	Components naldehyde Insulation s rd Paint n Wiring			
	n Previous Termite Treatment n Improper Drainage n Water Damage Not Due to a Flood E n Landfill, Settling, Soil Movement, Fa	vent ult Lines	n Asbestos on Urea-form Radon Gan Lead Base n Aluminum Previous F	Components naldehyde Insulation s rd Paint n Wiring			
	n Previous Termite Treatment n Improper Drainage n Water Damage Not Due to a Flood E n Landfill, Settling, Soil Movement, Fa	vent ult Lines	n Asbestos of Direction Name	Components naldehyde Insulation s nd Paint n Wiring Fires I Easements ne Structure or Pits Jse of Premises for Manufacture of			
	n Previous Termite Treatment n Improper Drainage n Water Damage Not Due to a Flood E n Landfill, Settling, Soil Movement, Fa	vent ult Lines 'Hot Tub/Spa*	n Asbestos on Urea-form Name Radon Gan Lead Base n Aluminum Name Previous Fundament Subsurfactor Previous Unplatted Methamp	Components naldehyde Insulation s rd Paint n Wiring Fires I Easements te Structure or Pits Use of Premises for Manufacture of hetamine			
	n Previous Termite Treatment n Improper Drainage n Water Damage Not Due to a Flood E n Landfill, Settling, Soil Movement, Fa n Single Blockable Main Drain in Pool,	vent ult Lines 'Hot Tub/Spa*	n Asbestos on Urea-form Name Radon Gan Lead Base n Aluminum Name Previous Fundament Subsurfactor Previous Unplatted Methamp	Components naldehyde Insulation s rd Paint n Wiring Fires I Easements te Structure or Pits Use of Premises for Manufacture of hetamine			

	Seller's Disclosure Notice Concerning the Property at 4141 Whiteley Drive, 405, Corpus Christi, TX 78418 Page 3 (Street Address and City)
	Are you (Seller) aware of any item, equipment, or system in or on the Property that is in need of repair? Tyes (if you are aware). If yes, explain (attach additional sheets if necessary).
	Are you (Seller) aware of any of the following conditions?* Write Yes (Y) if you are aware, write No (N) if you are not aware.
	nPresent flood insurance coverage
	$_{ m n}$ Previous flooding due to a failure or breach of a reservoir or a controlled or emergency release of water from a reservoir
	n Previous water penetration into a structure on the property due to a natural flood event
	Write Yes (Y) if you are aware, and check wholly or partly as applicable, write No (N) if you are not aware.
	Located Wholly partly in a 100-year floodplain (Special Flood Hazard Area-Zone A, V, A99, AE, AO, AH, VE, or A
	n Located wholly partly in a 500-year floodplain (Moderate Flood Hazard Area-Zone X (shaded))
	Located wholly partly in a floodway
_	Located \square wholly \square partly in a flood pool
	Located wholly partly in a reservoir
	If the answer to any of the above is yes, explain (attach additional sheets if necessary):
	*For purposes of this notice:
	"100-year floodplain" means any area of land that:
	(A) is identified on the flood insurance rate map as a special flood hazard area, which is designated as
	Zone A, V, A99, AE, AO, AH, VE, or AR on the map; (B) has a one percent annual chance of flooding, which is considered to be a high risk of flooding; and
	(C) may include a regulatory floodway, flood pool, or reservoir.
	"500-year floodplain" means any area of land that:
	(A) is identified on the flood insurance rate map as a moderate flood hazard area, which is designated on the map as Zone X (shaded); and
	(B) has a two-tenths of one percent annual chance of flooding, which is considered to be a moderate
	risk of flooding.
	"Flood pool" means the area adjacent to a reservoir that lies above the normal maximum operating level of the
	reservoir and that is subject to controlled inundation under the management of the United States Army Corps of Engineers.
	"Flood insurance rate map" means the most recent flood hazard map published by the Federal Emergency
	Management Agency under the National Flood Insurance Act of 1968 (42 U.S.C. Section 4001 et seq.).
	"Floodway" means an area that is identified on the flood insurance rate map as a regulatory floodway, which includes the channel of a river or other watercourse and the adjacent land areas that must be reserved for the discharge
	of a base flood, also referred to as a 100-year flood, without cumulatively increasing the water surface elevation of more
	than a designated height.
	"Reservoir" means a water impoundment project operated by the United States Army Corps of Engineers that is intended to retain water or delay the runoff of water in a designated surface area of land.
	interface to retain water or delay the runon of water in a designated surface area or land.
	Have you (Seller) ever filed a claim for flood damage to the property with any insurance provider, including the National
	Flood Insurance Program (NFIP)?* Tyes Vol. If yes, explain (attach additional sheets as necessary):
	*Homes in high risk flood zones with mortgages from federally regulated or insured lenders are required to have flood insurance. Even when not required, the Federal Emergency Management Agency (FEMA) encourages homeowners in
	high risk, moderate risk, and low risk flood zones to purchase flood insurance that covers the structure(s) and the personal
	property within the structure(s).
	Have you (Seller) ever received assistance from FEMA or the U.S. Small Business Administration (SBA) for flood damage to tl

	Seller's Disclosure Notice Concerning the Property at 4141 Whiteley Drive, 405, Corpus Christi, TX 78418 O9-01-2023 Page 4
9.	Are you (Seller) aware of any of the following? Write Yes (Y) if you are aware, write No (N) if you are not aware.
1	Room additions, structural modifications, or other alterations or repairs made without necessary permits or not in compliance with building codes in effect at that time.
1	Homeowners' Association or maintenance fees or assessments.
-	Any "common area" (facilities such as pools, tennis courts, walkways, or other areas) co-owned in undivided interest with others.
]	Any notices of violations of deed restrictions or governmental ordinances affecting the condition or use of theProperty.
1	Any lawsuits directly or indirectly affecting the Property.
-	Any condition on the Property which materially affects the physical health or safety of an individual.
-	Any rainwater harvesting system located on the property that is larger than 500 gallons and that uses a public water supply as an auxiliary water source.
1	Any portion of the property that is located in a groundwater conservation district or a subsidence district.
	If the answer to any of the above is yes, explain. (Attach additional sheets if necessary):
	If the property is located in a coastal area that is seaward of the Gulf Intracoastal Waterway or within 1,000 feet of the mean high tide bordering the Gulf of Mexico, the property may be subject to the Open Beaches Act or the Dune Protection Act (Chapter 61 or 63, Natural Resources Code, respectively) and a beachfront construction certificate or dune protection permit maybe required for repairs or improvements. Contact the local government with ordinance authority over construction adjacent to public beaches for more information. This property may be located near a military installation and may be affected by high noise or air installation compatible use zones or other operations. Information relating to high noise and compatible use zones is available in the most recent Air Installation Compatible Use Zone Study or Joint Land Use Study prepared for a military installation and may be accessed on the Internet website of the military installation and of the county and any municipality in which the military installation is located.
P.	dotloop verified 08/26/25 1:27 PM CDT
	O8/26/25 1:27 PM CDT GRIE-QQLC-WQCT-Y8GR Date Signature of Senier Date Signature of Senier
,	
Γhe	undersigned purchaser hereby acknowledges receipt of the foregoing notice.
igiic	Acute of Furchaser Signature of Furchaser Date



This form was prepared by the Texas Real Estate Commission in accordance with Texas Property Code § 5.008(b) and is to be used in conjunction with a contract for the sale of real property entered into on or after September 1, 2023. Texas Real Estate Commission, P.O. Box 12188, Austin, TX 78711-2188, 512-936-3000 (http://www.trec.texas.gov) TREC NO. 55-0. This form replaces OP-H.