




rd 50 Acres Bogue Chitto
Mississippi, AC +/-




 Boundary

rd 50 Acres Bogue Chitto
Mississippi, AC +/-




 Boundary

rd 50 Acres Bogue Chitto
Mississippi, AC +/-




-  Boundary
-  Stream,
Intermittent
-  River/Creek
-  Water Body

rd 50 Acres Bogue Chitto
Mississippi, AC +/-



 Boundary



Boundary 51.5 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
PrC2	Providence silt loam, 5 to 8 percent slopes, eroded	14.36	27.88	0	28	3e
PrB2	Providence silt loam, 2 to 5 percent slopes, eroded	11.69	22.7	0	28	2e
BuC2	Bude silt loam, 5 to 8 percent slopes, eroded (providence)	10.93	21.22	0	47	3e
Fa	Falaya silt loam (oaklimeter)	8.56	16.62	0	74	2w
PrD2	Providence silt loam, 8 to 12 percent slopes, eroded	3.61	7.01	0	32	4e
Fm	Falaya silt loam, local alluvium (oaklimeter)	1.27	2.47	0	74	2w
Wa	Waverly silt loam	0.99	1.92	0	70	5w
RuD2	Ruston soils, 8 to 12 percent slopes, eroded (smithdale)	0.09	0.17	0	53	4e
TOTALS		51.5(*)	100%	-	41.94	2.69

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability

	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water