




Boundary

| Boundary 116.74 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CSR2	CPI	NCCPI	CAP
65F2	Lindley clay loam, 18 to 25 percent slopes, moderately eroded	26.56	22.75	11.0	0	50	7e
730C	Cantril-Coppock-Nodaway complex, 2 to 9 percent slopes	23.92	20.49	76.0	0	90	3e
792D2	Armstrong clay loam, 9 to 14 percent slopes, moderately eroded	20.93	17.93	7.0	0	58	4e
65E2	Lindley clay loam, 14 to 18 percent slopes, moderately eroded	14.08	12.06	20.0	0	66	6e
994E2	Douds-Galland complex, 9 to 18 percent slopes, moderately eroded	13.92	11.92	24.0	0	69	6e
425C	Keswick loam, 5 to 9 percent slopes	5.13	4.39	36.0	0	60	3e
715	Nodaway-Lawson-Klum complex, 0 to 3 percent slopes, occasionally flooded	4.21	3.61	68.0	0	90	2w
792C	Armstrong loam, 5 to 9 percent slopes	2.35	2.01	35.0	0	65	3e
51B	Vesser silt loam, 2 to 5 percent slopes, rarely flooded	2.01	1.72	75.0	0	94	2w
792C2	Armstrong clay loam, 5 to 9 percent slopes, moderately eroded	1.93	1.65	24.0	0	60	3e
452C	Lineville silt loam, 5 to 9 percent slopes	0.84	0.72	48.0	0	75	3e
W	Water	0.8	0.69	-	0	-	-
531C2	Kniffin silty clay loam, 5 to 9 percent slopes, moderately eroded	0.06	0.05	48.0	0	62	3e
TOTALS		116.74(*)	100%	31.4	-	66.78	4.77

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability

								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water