









|  Boundary 141.5 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CAP
BaC2	Baxter cherty silt loam, 6 to 12 percent slopes, eroded	31.8	22.48	3e
W	Water	0.3	0.22	-
DcC2	Dickson silt loam, 6 to 12 percent slopes, eroded	7.4	5.2	3e
GaE	Garmon silt loam, 20 to 35 percent slopes	0.0	0.01	7e
TbC2	Talbott cherty silty clay loam, 6 to 12 percent slopes, eroded (vertrees)	7.9	5.55	4e
NeC2	Needmore silty clay loam, 6 to 12 percent slopes, eroded	4.5	3.19	4e
TbD2	Talbott cherty silty clay loam, 12 to 20 percent slopes, eroded (vertrees)	17.3	12.21	6e
DcB	Dickson silt loam, 2 to 6 percent slopes	17.8	12.62	2e
TrB	Tarklin cherty silt loam, 2 to 6 percent slopes	0.3	0.21	2e
BaB	Baxter cherty silt loam, 2 to 6 percent slopes	44.8	31.68	2e
St	Staser silt loam	6.5	4.61	2w
TbB2	Talbott cherty silty clay loam, 2 to 6 percent slopes, eroded (vertrees)	0.7	0.46	3e
NdB	Needmore silt loam, 2 to 6 percent slopes	1.4	1.02	3e
Ha	Hamblen silt loam	0.7	0.52	2w
TOTALS		141.5	100%	2.95

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability Class(non-irrigated)								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water